

Genquip Standard Features Include

Load Adjusting Throttle

automatically adjusts engine speed to load demand increasing fuel efficiency & quietness.

Pure Sine Wave Power

delivering clean stable power suitable for sensitive electronic equipment.

Genquip 4-Stroke Power

Whisper Quiet Operation

Ergonomic Handles Design

Most applications require increased power for start-up. When running multiple items please refer to the table below to calculate your power requirements.

Applications	Start-up Wattage	Running Wattage	Gi 1000	Gi 2000	Gi 3300
Air Con. Caravan 3.2kW	2600	1800			✓
Air Comp. 0.5hp (Direct Drive)	1600	975		✓	✓
Angle Grinder - 9 inch	2500	1500			✓
Bench Grinder - 8 inch	2500	1400			✓
Desktop Computer & Monitor	600-800	600-800	✓	✓	✓
Computer - Laptop	200-250	200-250	✓	✓	✓
Computer Printer - Inkjet	585	350	✓	✓	✓
Computer Printer - Laser	1200	720		✓	✓
Copy Machine	2700	1600			✓
Drill 1/2 inch	900	600	✓	✓	✓
Electric Fry Pan	2100	1300		✓	✓
Globe	60	60	✓	✓	✓
Hair Dryer	1500	900		✓	✓
Kettle	2400	2400			✓
Microwave Oven 650 watts	1000	1000		✓	✓
Radio	50-200	50-200	✓	✓	✓
Refrigerator : Household	1200	200		✓	✓
Television	300	300	✓	✓	✓
Toaster	1500	1500		✓	✓

GENQUIP
Power Products



**Digital Inverter
Petrol Generators**

GENQUIP
Power Products

www.genquip.com.au

GENQUIP HEAD OFFICE & WAREHOUSE
45 RIVERSIDE ROAD CHIPPING NORTON NSW 2170
Call 1300 730 716 or visit genquip.com.au

These are recommendations only. Genquip reserves the right to change price, models and specifications without notice.

Call 1300 730 716
for your closest Genquip dealer.

GENQUIP®

www.genquip.com.au



Camping Power



Off Road Power



Remote Living Power

16kg Gross Weight	1000Watts Maximum Power	7hrs Half-Rated Power	53-58db 7 Metres Distance
-----------------------------	-----------------------------------	---------------------------------	-------------------------------------

22kg Gross Weight	2000Watts Maximum Power	7hrs Half-Rated Power	53-58db 7 Metres Distance
-----------------------------	-----------------------------------	---------------------------------	-------------------------------------

30kg Gross Weight	3300Watts Maximum Power	8.5hrs Half-Rated Power	53-58db 7 Metres Distance
-----------------------------	-----------------------------------	-----------------------------------	-------------------------------------

Gi1000

Generator Type	Pure sine wave inverter type
Maximum Output	1000 W
Rated Output	900 W
Rated Frequency	50 Hz
Rated Voltage	240 V
Rated DC Output	12 V (5 A)
Structure Type	Portable
Decibel Rating	53-58 (at 7m)
Engine Type	Single Cylinder, 4 Stroke, Air Cooled, Petrol Engine
Engine Maximum Output	1.45 kW (2 hp)
Bore x Stroke	43.5 x 36
Displacement	53.5 cc
Ignition System	Electronic
Spark Plug Type	CR7HSA (NGK)
Starting System	Recoil Starter
Fuel Tank Capacity	2.9 L
Oil Capacity	250 ml
Oil Type	SAE 10W 30
Continuous Running Time	4.5 hr (at rated output)
Continuous Running Time	7 hr (at half load)
Dry Weight	16 kg
Dimensions L x W x H	480 x 270 x 414 (mm)

2 YEAR LIMITED WARRANTY

Gi2000

Generator Type	Pure sine wave inverter type
Maximum Output	2000 W
Rated Output	1600 W
Rated Frequency	50 Hz
Rated Voltage	240 V
Rated DC Output	12 V (6 A)
Structure Type	Portable
Decibel Rating	53-58 (at 7m)
Engine Type	Single Cylinder, 4 Stroke, Air Cooled, Petrol Engine
Engine Maximum Output	2.2 kW (3 hp)
Bore x Stroke	58 x 40
Displacement	105 cc
Ignition System	Electronic
Spark Plug Type	CR7HSA (NGK)
Starting System	Recoil Starter
Fuel Tank Capacity	4 L
Oil Capacity	450 ml
Oil Type	SAE 10W 30
Continuous Running Time	4.5 hr (at rated output)
Continuous Running Time	7 hr (at half load)
Dry Weight	22 kg
Dimensions L x W x H	535 x 321 x 441 (mm)

2 YEAR LIMITED WARRANTY

Gi3300

Generator Type	Pure sine wave inverter type
Maximum Output	3300 W
Rated Output	3000 W
Rated Frequency	50 Hz
Rated Voltage	240 V
Rated DC Output	12 V (8 A)
Structure Type	Portable
Decibel Rating	53-58db (at 7m)
Engine Type	Single Cylinder, 4 Stroke, Air Cooled, Petrol Engine
Engine Maximum Output	3.6 kW (4.9 hp)
Bore x Stroke	66 x 50
Displacement	171 cc
Ignition System	CDI
Spark Plug Type	BPR4ES (NGK)
Starting System	Recoil starter Electric start optional
Fuel Tank Capacity	7 L
Oil Capacity	600 ml
Oil Type	SAE 10W 30
Continuous Running Time	4.5 hr (at rated output)
Continuous Running Time	8.3 hr (at half load)
Dry Weight	30 kg
Dimensions L x W x H	584 x 419 x 457 (mm)

2 YEAR LIMITED WARRANTY